

WHAT IS CLAIMED IS:

1. A scheduler for use with a star switching fabric, the scheduler comprising:

5 a scheduling star switching fabric operable to receive a plurality of packets each associated with one of a plurality of wavelengths; and

10 a plurality of selecting elements associated with the scheduling star switching fabric, each operable to contribute to selectively passing packets from the scheduling star switching fabric for receipt by a transmission star switching fabric;

15 wherein packets received at the transmission star switching fabric over a given time period comprise a more uniform load distribution than packets received at an input to the scheduler over the same period of time.

20 2. The scheduler of Claim 1, wherein the scheduling star switching fabric comprises a signal divider operable to receive a multiple wavelength signal and to communicate the multiple wavelength signal to a plurality of output paths from the scheduling star switching fabric.

25 3. The scheduler of Claim 2, wherein the signal divider comprises a cascade of 1xn optical couplers.

4. The scheduler of Claim 2, wherein the signal divider comprises a power divider.

10005998-120301

5. The scheduler of Claim 2, wherein the scheduling star switching fabric comprises a signal combiner operable to combine a plurality of wavelength signals into the multiple wavelength signal and to
5 communicate the multiple wavelength signal to the signal divider.

6. The scheduler of Claim 2, wherein the signal divider is coupled to an optical amplifier operable to
10 amplify the multiple wavelength signal to at least partially compensate for a loss associated with the signal divider.

7. The scheduler of Claim 1, wherein the plurality
15 of selecting elements comprise a plurality of tunable filters, each operable to receive a substantially similar set of packets from the scheduling star switching fabric and to selectively pass packets having a selected wavelength.

20

8. The scheduler of Claim 7, wherein the plurality of tunable filters reside integrally to the scheduling star switching fabric.

25 9. The scheduler of Claim 1, wherein the plurality of selecting elements comprise a plurality of tunable optical transmitters, each operable to communicate to the scheduling star switching fabric a packet in an optical format comprising a selected wavelength.

30

1005998-120301

10. The scheduler of Claim 9, wherein the plurality of selecting elements comprises a plurality of optical filters, each operable to receive a substantially similar set of packets from the scheduling star switching fabric and to pass toward the transmission star switching fabric packets having a particular wavelength.

11. The scheduler of Claim 1, further comprising a scheduling engine operable to generate control signals to instruct the plurality of selecting elements as to which wavelength to pass, wherein the scheduling engine communicates control signals to each of the plurality of selecting elements in a round robin fashion.

12. The scheduler of Claim 11, wherein the control signals received by any one of the plurality of selecting elements comprises an instruction operable to cause the selecting element to select a different wavelength than a last wavelength processed by that selecting element.

13. The scheduler of Claim 11, wherein the scheduling engine communicates transmission control signals to a plurality of transmission selecting elements associated with the transmission star switching fabric, wherein the transmission control signals instruct the plurality of transmission selecting elements to tune to a selected wavelength in a round robin fashion.

14. The scheduler of Claim 1, further comprising an intermediate buffer stage residing between the scheduling star switching fabric and the transmission star switching fabric, the intermediate buffer stage operable to store
5 packets received by the scheduling star switching fabric pending transmission of those packets toward the transmission star switching fabric.

15. The scheduler of Claim 14, wherein the
10 intermediate buffer stage is operable to store packets to reduce missequencing of packets at outputs from the transmission star switching fabric.

16. The scheduler of Claim 1, further comprising an
15 input buffer stage operable to store packets pending transmission toward the scheduling star switching fabric.

1005593 130301

17. A method of scheduling operation of a star switching fabric, comprising:

receiving at a scheduler a plurality of packets each having a wavelength;

5 communicating from a scheduling star switching fabric of the scheduler a plurality of substantially similar sets of the plurality of packets; and

selectively passing packets having selected wavelengths from the scheduling star switching fabric for
10 receipt by a transmission star switching fabric;

wherein packets received at the transmission star switching fabric over a given time period comprise a more uniform load distribution than packets received at an input to the scheduler over the same time period.

15

18. The method of Claim 17, wherein each of the plurality of packets comprises a different wavelength.

19. The method of Claim 17, wherein selectively
20 passing packets having selected wavelengths from the scheduling star switching fabric to the transmission star switching fabric comprises:

tuning one of a plurality of tunable optical transmitters to a selected wavelength;

25 generating a packet at the selected wavelength using the one of the plurality of tunable optical transmitters;

communicating the generated packet to the scheduling star switching fabric; and

receiving the generated packet at one of a plurality
30 of filters associated with the scheduling star switching fabric, the one of the plurality of filters operable to pass the one of the selected wavelengths.

10005998 "120301"

20. The method of Claim 19, further comprising:
communicating in a round robin fashion a plurality
of control signals each designated for a different one of
the plurality of tunable optical transmitters;

5 wherein at least one of the control signals
instructs the receiving tunable optical transmitter to
tune to a different wavelength than the last wavelength
processed by that transmitter.

10 21. The method of Claim 17, wherein selectively
passing packets having selected wavelengths from the
scheduling star switching fabric to the transmission star
switching fabric comprises:

receiving at a tunable optical filter associated
15 with the scheduling star switching fabric one of the
substantially similar sets of the plurality of packets;

tuning the tunable optical filter to a selected
wavelength; and

passing from the tunable optical filter one of the
20 plurality of packets having the selected wavelength.

22. The method of Claim 21, further comprising:
communicating in a round robin fashion a plurality
of control signals each designated for a different one of
25 the plurality of optical filters;

wherein at least some of the control signals
instruct the receiving tunable optical filter to tune to
a different wavelength than the last wavelength processed
by that filter.

30

23. The method of Claim 21, wherein the tunable
optical filter resides within the star switching fabric.

10005998-120301

24. The method of Claim 21, wherein the tunable optical filter resides on a line card coupled to the star switching fabric.

5 25. The method of Claim 17, further comprising:

generating a plurality of transmission control signals, each operable to instruct one of a plurality of transmission selecting elements associated with the transmission star switching fabric to tune to a selected

10 wavelength;

communicating the plurality of transmission control signals in a round robin fashion to the plurality of transmission selecting elements.

10005998-120301

26. A network element operable to direct optical signals, the network element comprising:

5 a scheduler operable to receive in a given time period a plurality of packets each associated with a wavelength, the plurality of packets received comprising a first load distribution; and

10 a transmission star switching fabric operable to receive the plurality of packets communicated from the scheduler and to communicate a plurality of substantially similar sets of the plurality of packets received to each of a plurality of tunable transmission filters, each tunable transmission filter operable to pass a particular packet toward an output link by tuning to a wavelength associated with that packet;

15 wherein the scheduler is operable to rearrange the order of packets communicated from the scheduler from the order those packets were received so that packets received by the transmission star switching fabric in the given time period comprise a more uniform load distribution than the first load distribution, and
20 wherein the scheduler is operable to schedule tuning of the plurality of tunable transmission filters using a round robin algorithm.

1005999-120001

27. The network element of Claim 26, wherein the scheduler comprises:

a scheduling star switching fabric operable to receive the plurality of packets and communicate a plurality of substantially similar sets of the plurality
5 of packets received; and

a plurality of scheduler selecting elements associated with the scheduling star switching fabric, each operable to contribute to selectively passing
10 packets from the scheduling star switching fabric for receipt by a transmission star switching fabric.

28. The network element of Claim 27, wherein the scheduling star switching fabric comprises a signal
15 divider operable to receive a multiple wavelength signal and to communicate the multiple wavelength signal to a plurality of output paths from the scheduling star switching fabric.

29. The network element of Claim 28, wherein the scheduling star switching fabric comprises a signal
20 combiner operable to combine a plurality of wavelength signals into the multiple wavelength signal and to communicate the multiple wavelength signal to the signal
25 divider.

30. The network element of Claim 28, wherein the signal divider is coupled to an optical amplifier
operable to amplify the multiple wavelength signal to at
30 least partially compensate for a loss associated with the signal divider.

10005998-120301

31. The network element of Claim 27, wherein the plurality of scheduler selecting elements comprise a plurality of tunable filters, each operable to receive a substantially similar set of packets from the scheduling
5 star switching fabric and to selectively pass packets having a selected wavelength toward the transmission star switching fabric.

32. The network element of Claim 27, wherein the
10 plurality of selecting elements comprise a plurality of tunable scheduler transmitters, each operable to communicate to the scheduling star switching fabric a packet in an optical format comprising a selected wavelength.

15

33. The network element of Claim 32, wherein the plurality of scheduler selecting elements comprise a plurality of optical filters, each operable to receive a substantially similar set of packets from the scheduling
20 star switching fabric and to pass toward the transmission star switching fabric packets having a particular wavelength.

34. The network element of Claim 27, wherein the
25 scheduler comprises a scheduling engine operable to generate control signals to instruct the plurality of scheduler selecting elements as to which wavelength to pass, wherein the scheduling engine communicates control signals to each of the plurality of scheduler selecting
30 elements in a round robin fashion.

1005998-120201

35. The network element of Claim 34, wherein the control signals received by any one of the plurality of scheduler selecting elements comprises an instruction operable to cause the scheduler selecting element to
5 select a different wavelength than a last wavelength processed by that scheduler selecting element.

36. The network element of Claim 34, wherein the scheduling engine communicates transmission control
10 signals to the plurality of tunable transmission filters, wherein the transmission control signals instruct the plurality of tunable transmission filters to tune to a selected wavelength in a round robin fashion.

10005998-120301

37. A network element operable to direct optical signals, the network element comprising:

a scheduler operable to receive in a given time period a plurality of optical packets associated with a wavelength, the plurality of packets received comprising
5 a first load distribution;

a plurality of tunable optical transmitters each operable to receive a packet from the scheduler and to communicate the packet in an optical format having a
10 selected wavelength; and

a transmission star switching fabric operable to receive a plurality of packets from the plurality of tunable optical transmitters and to communicate a plurality of substantially similar sets of the plurality
15 of packets received to each of a plurality of transmission filters each operable to pass a packet having a particular wavelength toward an output link associated with that filter;

wherein the scheduler is operable to rearrange the
20 order of packets communicated from the scheduler from the order those packets were received so that packets received by the transmission star switching fabric in the given time period comprise a more uniform load distribution than the first load distribution, and
25 wherein the scheduler is operable to schedule tuning of the plurality of tunable optical transmitters using a round robin algorithm.

1005998-122304

38. The network element of Claim 37, wherein the scheduler comprises:

5 a scheduling star switching fabric operable to receive the plurality of packets and communicate a plurality of substantially similar sets of the plurality of packets received; and

10 a plurality of scheduler selecting elements associated with the scheduling star switching fabric, each operable to contribute to selectively passing packets from the scheduling star switching fabric for receipt by a transmission star switching fabric.

39. The network element of Claim 38, wherein the plurality of scheduler selecting elements comprise a
15 plurality of tunable filters, each operable to receive a substantially similar set of packets from the scheduling star switching fabric and to selectively pass packets having a selected wavelength toward the transmission star switching fabric.

20

40. The network element of Claim 38, wherein the plurality of selecting elements comprise a plurality of tunable scheduler transmitters, each operable to communicate to the scheduling star switching fabric a
25 packet in an optical format comprising a selected wavelength.

1005998.120301

41. The network element of Claim 40, wherein the plurality of scheduler selecting elements comprise a plurality of optical filters, each operable to receive a substantially similar set of packets from the scheduling
5 star switching fabric and to pass toward the transmission star switching fabric packets having a particular wavelength.

42. The network element of Claim 38, wherein the
10 scheduler comprises a scheduling engine operable to generate control signals to instruct the plurality of scheduler selecting elements as to which wavelength to pass, wherein the scheduling engine communicates control signals to each of the plurality of scheduler selecting
15 elements in a round robin fashion.

43. The network element of Claim 42, wherein the control signals received by any one of the plurality of scheduler selecting elements comprises an instruction
20 operable to cause the scheduler selecting element to select a different wavelength than a last wavelength processed by that scheduler selecting element.

44. The network element of Claim 42, wherein the
25 scheduling engine communicates transmission control signals to the plurality of tunable optical transmitters associated with the transmission star switching fabric, wherein the transmission control signals instruct the plurality of tunable optical transmitters to tune to a
30 selected wavelength in a round robin fashion.

1005998-130304

45. A network element operable to direct optical signals using a star switching fabric, the network element comprising:

5 a plurality of optical transmitters each operable to generate an optical signal having a center wavelength, each of the plurality of optical transmitters comprising:

10 a modulator operable to receive from common bay equipment an unmodulated optical signal having a center wavelength and to modulate the received signal;

wherein the common bay equipment is operable to generate using one or more optical source a plurality of unmodulated optical signals each having a center wavelength;

15 a star switching fabric operable to receive a plurality of modulated optical signals from the plurality of optical transmitters and to communicate a plurality of substantially similar sets of at least some of the signals received; and

20 a plurality of filters, each operable to receive one of the plurality of substantially similar sets of signals from the star switching fabric and to substantially pass toward an output link from the element a signal having a particular center wavelength while substantially
25 rejecting signals having other center wavelengths.

10005998 120301

46. The network element of Claim 45, wherein the common bay equipment comprises:

a modelocked pulse source operable to generate a plurality of optical pulses;

5 a continuum generator operable to broaden the spectrum of the plurality of optical pulses into an approximate spectral continuum of optical pulses; and

a signal splitter operable to generate from the approximate continuum the plurality of unmodulated
10 optical signals each comprising a center wavelength.

47. The network element of Claim 46, wherein the continuum generator comprises an optical amplifier coupled to a length of optical fiber.

15

48. The network element of Claim 45, wherein the plurality of filters comprise fixed wavelength filters and further comprising:

a wavelength selector operable to communicate to
20 each of the modulators an unmodulated signal having a selected center wavelength.

49. The network element of Claim 45, wherein the plurality of filters comprise tunable filters each
25 operable to selectively receive a particular signal from the star switching fabric by tuning to a center wavelength of the particular signal.

10005998-100001